

## CITY OF URBANA, ILLINOIS DEPARTMENT OF PUBLIC WORKS

## ADMINISTRATION DIVISION

## MEMORANDUM

TO: Bruce Walden, Chief Administrative Officer

FROM: Glenn Berman, Manager of Engineering and Administration

**DATE:** July 3, 2001

**RE:** West Urbana Street Markings Program


At the direction of Council, staff was asked to develop a program to place street markings for parking spaces at driveway entrances in the west Urbana neighborhood in order to try to reduce the incidence of on-street vehicles blocking driveways.


Attached are two drawings. One is a map that shows the boundaries of where the street marking would be installed. The second drawing shows examples of how specific driveway approaches would be marked.

In addition to markings on either side of every driveway, street markings will also be installed at either end of fire hydrant zones (15' either side of a hydrant) and at the beginning of No Parking Here To Corner zones.

Council has authorized \$5,000 in FY 01/02 for the implementation of this program.

This information will be presented at the Council meeting on July 9 to secure Council endorsement via motion so that Public Works staff can begin the marking installation with an anticipated completion date of August 15<sup>th</sup>.





Stripes to be 21 X.2. Stripes to be installed at both ends of hydrent yallow zones. End stripes to be installed at border of No Parking Here. To Corner zones. Distance from ourb to inside edge of stripe is 7.6°, therefore, 4° wide stripe will run from 7.6° to 8°0° marks. Distance to line face is 50° to the cutside edge, therefore, a 4° wide stripe will run from 5.0° to 5°4°.

LOCATION CHART FOR ON-STREET PARKING SPACE MARKINGS IN RESIDENTIAL AREAS

